


DIXCO DEALER PRICE SCHEDULE

Effective Feb. 1, 1972. Supersedes All Other Price Schedules. Prices Subject to Change without Notice.










DIXSON INC., P. O. Box 1449, Grand Junction, Colo. 81501 ☐ (303) 242-8863

- PRECISION ELECTRIC TACHOMETERS
 - PROFESSIONAL TEST INSTRUMENTS
 - GAUGES, GAUGE SETS
 - TUNE-UP EQUIPMENT
 - PANELS, ACCESSORIES

Warranty and Repair Service

- 1) We recognize that some DIXCO Distributors may find it necessary to accept merchandise returned by their Customers and claimed to be "originally defective." In these instances, merchandise may be returned to the Factory for credit, replacement, or repairs, as directed, subject to inspection at the Factory to determine responsibility.
 - 2) Warranty and Repair Service may also be handled directly between User and Factory. Direct handling is preferred inasmuch as it allows our Service Dept. to provide prompt service or advice on specialized installation or usage problems; and further, keeps Distributor's handling costs at a minimum. Warranty Certificate and Registration Card is enclosed with each Instrument for ease of handling.
 - 3) Prompt, reasonably priced Repair Service available at Factory for items beyond Warranty.
-

Model No.		Description	Std. Ctn.	List	Dealer
HT/X x-7		HOOD-MOUNTED TACHOMETER , for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-8000 RPM, 12 Volt, Negative Ground, illum., mounting hardware included. Color coded scale.	4	\$69.60	\$44.75
HT/x-7CD		Hood-Mounted Tachometer, Discontinued Item	4	72.60	46.67
HT/x-7R		Hood-Mounted Tachometer, Discontinued Item	4	72.60	46.67
HT/x-7V		Hood-Mounted Tachometer, Discontinued Item	4	72.60	46.67
HT/x-9		Hood-Mounted Tachometer, Discontinued Item	4	69.60	44.75
47		INTERMEDIATE PRECISION TACHOMETER for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-8000 RPM, 6 or 12 Volt, Negative Ground, illum., 3 1/4" dia., complete with housing.	6	44.25	28.47
50A		Mounting Bracket, Discontinued Item	ea.	2.15	1.37
60		COMPACT PRECISION TACHOMETER for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-6000 RPM, 6 or 12 Volt, Negative Ground, illum., panel mount, mounting hardware included. 2" Dia.	6	40.25	25.90
62		Tachometer, Discontinued Item	ea.	42.00	27.01
66		CHROME, BULLET-SHAPED HOUSING , foot & mounting bracket for 60 Series Tachs or 2" dia. Gauges.	6	8.75	5.61
67		COMPACT PRECISION TACHOMETER for 4, 6, 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-8000 RPM, 6 or 12 Volt, Negative Ground, illum., panel mount, hardware included. 2" Dia.	6	40.25	25.90
67-6		COMPACT PRECISION TACHOMETER for 4, 6, 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-8000 RPM, 6 or 12 Volt, Negative Ground, illum., mounting hardware included. All chrome. 2" Dia.	6	42.15	27.10
69		Mounting Bracket, Discontinued Item	ea.	1.50	.96
77-6		ECONOMY MODEL MINIATURIZED TACHOMETER , for 4, 6 & 8 cylinder conventional & most transistorized Ignition systems, 0-8000 RPM, 12 Volt, Negative Ground, illum., mounting hardware included.	6	24.30	15.61



Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
90		PRECISION TACHOMETER for 4, 6, & 8 cylinder conventional & most transistorized or Capacitive Discharge Ignition systems, 0-6000 RPM, 6 or 12 Volt, Negative Ground, illum., for panel mount, mounting hardware included. 3 3/4" Dia.	6	48.25	31.01
90-9		PRECISION TACHOMETER for 4, 6 & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-6000 RPM, 6 or 12 Volt, Negative Ground, illum., for panel mount, mounting hardware included, 3 3/4" dia., includes chrome housing.	6	51.85	33.33
92		TACHOMETER (Special Order), 3 3/4" dia., 0-6000 RPM. For applications other than standard ignition systems. Complete engine & ignition specifications required.	6	53.20	34.19
95		STANDARD TACHOMETER for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-4000 RPM, illum., 6 or 12 Volt, Negative Ground.	6	48.25	31.01
96		TACHOMETER (Special Order), 3 3/4" dia., 0-6000 RPM. For 2 cycle engines. Complete engine & ignition specifications required.	6	53.20	34.19
97		STANDARD TACHOMETER for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-8000 RPM, 6 or 12 Volt, Negative Ground, for panel mount, mounting hardware included.	6	48.25	31.01
97-9		STANDARD TACHOMETER for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-8000 RPM, 6 or 12 Volt, Negative Ground, includes chrome housing, and all mounting hardware.	6	51.85	33.33
99		CHROME HOUSING , for Series 90 or 790 Tachs, allows mounting above or below dash or on column, wide adjustment latitude, mounting foot and all hardware included.	12	8.75	5.61



Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
100FBW		CUSTOM DUAL ILLUM. OIL PRESSURE - ELECTRIC WATER TEMP. SET, custom chrome panel, tubing & fittings, includes sender. Black Vinyl & Wood Grain inserts included, 12 Volt, Negative ground.	6	26.30	15.77
102F		Dual Gauge Set, Discontinued Item	12	14.00	8.41
102FBW		CUSTOM DUAL ILLUM. AMMETER-OIL PRESSURE GAUGE SET, chrome recessed panel, tubing and fittings, includes Black Vinyl & Wood Grain inserts.	6	14.75	8.83
103		TRIPLE PANEL, steel, chrome for 2" Gauges or Tachometers.	6	2.95	1.75
103BV		TRIPLE PANEL, steel, for 2" Gauges or Tachometers, black vinyl finish.	6	2.95	1.75
103WG		TRIPLE PANEL, steel, for 2" Gauges or Tachometers, wood grain finish.	6	2.95	1.75
104		CUSTOM ELECTRIC WATER TEMP. GAUGE, illum. slots, includes sender, 12 Volt, Negative ground, 2" dia., 130°-280°F scale.	12	16.80	10.09
104M		CUSTOM MECHANICAL WATER TEMP. GAUGE, 2" dia., 100°-250°F scale, includes 72" armored capillary tube, all mounting hardware included.	12	15.00	9.00
104S		THERMISTOR SENDER UNIT only for Model 104 or 504 Elec. Water Temp. Gauges.	6	4.55	2.71



Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
105		ILLUMINATION KIT for single, dual (use 1) & triple (use 2) panels.	6	2.15	1.27
106		CUSTOM AMMETER , 60-0-60 illum. slots, 2" dia., 6 or 12 Volt, for use with Generator or Alternator charging systems, mounting clamp & installation instructions included.	12	5.80	3.46
106-30		CUSTOM AMMETER , 30-0-30 illum. slots, 2" dia., 6 or 12 Volt, for use with Generator or Alternator charging systems, mounting clamp & installation instructions included.	ea.	6.45	3.85
106-100		CUSTOM "ALTERNATOR" GAUGE (AMMETER) 100-0-100, illum. slots, 2" dia., 12 Volt, mounting clamp & installation instructions included.	ea.	6.45	3.85
107		CUSTOM OIL PRESSURE GAUGE , 0-80 lbs., illum. slots, 2" dia., mounting clamp and full instructions included.	12	6.40	3.82
109		SINGLE PANEL , steel, chrome, for 2" Gauges or Tachometers.	6	2.00	1.20
109BV		SINGLE PANEL , steel, for 2" Gauges or Tachometers, black vinyl finish.	6	2.00	1.20
109WG		SINGLE PANEL , steel, for 2" Gauges or Tachometers, wood grain finish.	6	2.00	1.20
110		Installation Parts Kit, Discontinued Item	12	5.80	3.46



Effective February 1, 1972










Model No.	Description	Std. Ctn.	List	Dealer
110A	 SUPERSEDES MODEL 110. Includes four terminals plus Model 117 Parts Kit plus two sections No. 10 wire and one inline connector.	12	6.98	4.19
111	Ammeter Set, Discontinued Item	6	9.70	5.80
111BW	 CUSTOM ILLUMINATED AMMETER SET, 60-0-60 amp, 2" dia., 6 or 12 volt systems, includes black vinyl & wood grain inserts.	6	10.35	6.19
112	Oil Pressure Set, Discontinued Item	6	10.00	6.00
112BW	 CUSTOM ILLUMINATED OIL PRESSURE GAUGE SET, 0-80 lbs., 2" dia., includes black vinyl & wood grain inserts.	6	10.70	6.40
113	Elec. Water Temp. Set, Discontinued Item	6	19.30	11.59
113BW	 CUSTOM ILLUMINATED ELECTRIC WATER TEMP. GAUGE SET, 12 volt, negative ground, 130°-280°F scale, includes black vinyl & wood grain inserts.	6	20.00	12.00
114	 ILLUMINATION KIT for #66 Chrome housing.	6	2.40	1.44
116	 DUAL PANEL, steel, chrome, for 2" Gauges or Tachometers.	6	2.40	1.44
116BV	 DUAL PANEL, steel, for 2" Gauges or Tachometers, black vinyl finish.	6	2.40	1.44
116WG	 DUAL PANEL, steel, for 2" Gauges or Tachometers, wood grain finish.	6	2.40	1.44



Model No.		Description	Std. Ctn.	List	Dealer
117		ECONOMY TUBING & FITTINGS KIT for installing #107 or #507 Oil Pressure Gauges.	12	3.15	1.87
118		TEE-FITTING, 1/8" pipe thread. To be used when connecting Oil Pressure Gauge, when the warning light operation is to be maintained. Fits: Chev. (exc. '58-'60 348 engine), Chrysler Prod., Oldsmobile.	12	2.40	1.44
119		TEE-FITTING, 1/4" pipe thread. To be used when connecting Oil Pressure Gauge, when the warning light operation is to be maintained. Fits: Cadillac, Chev. (50-58 w/348 engine) Ford Prod.	12	2.40	1.44
120		CUSTOM VOLTMETER, 2" dia., 3-17 Volts, mounting clamps, illum. slots, and instructions incl.	12	15.10	9.05
122		Voltmeter Set, Discontinued Item	6	16.55	9.94
122BW		CUSTOM ILLUM. VOLTMETER SET, 2" dia., 3-17 volts, all installation parts & mounting hardware included.	6	17.25	10.33
131		COMPACT GAS SAVER, 2" dia., complete with tubing & fittings, instructions.	ea.	25.00	15.00
132BW		COMPACT GAS SAVER, 2" dia., complete with tubing & fittings, instructions, includes black vinyl & wood grain inserts. Illuminated.	ea.	28.35	17.00
133		COMPACT GAS SAVER, 2" dia. with bullet-shaped Chrome housing. Illum., complete with tubing & fittings, and mounting hardware.	6	25.87	15.52



Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
135		GAS SAVER , 3¼" dia., with bullet-shaped chrome housing. Complete with tubing, fittings, & mounting hardware, illuminated.	6	29.85	17.89
141		CUSTOM SINGLE CHROME PANEL for 2" Gauges or Tachometers, includes black vinyl & wood grain inserts.	6	5.50	3.30
142		CUSTOM DUAL CHROME PANEL for 2" Gauges or Tachometers, includes black vinyl & wood grain inserts.	6	7.00	4.20
143		CUSTOM TRIPLE CHROME PANEL for 2" Gauges or Tachometers, includes black vinyl & wood grain inserts.	6	7.35	4.39
152F		Triple Gauge Set, Discontinued Item	6	33.35	20.00
152FBW	 	CUSTOM ILLUM. TRIPLE GAUGE SET — AMMETER, OIL PRESSURE, ELEC. WATER TEMP. GAUGE , tubing & fittings, 12 volt, negative ground, (60-0-60 Ammeter, 0-80 lbs. Oil Pressure, 130°-280°F Elec. Water Temp.), includes black vinyl and wood grain inserts.	6	34.15	20.50
162		STARTER-GENERATOR-CURRENT INDICATOR , 400-0-400 Amperes D.C., Gen.-Alt. current 75-0-75 Amperes D.C.	12	10.70	6.40
300		TUNE-UP KIT , 4 piece includes one each Model 302 Compression Tester, Model 303 Vacuum & Fuel Pump Tester & Model 309 Pistol-Grip Neon Timing Light with Remote Starter, Model 162 Starter-Generator-Current Indicator, plus spark plug gap gauge, ⅛" allen wrench & chalk (for timing mark), complete instructions.	6	34.00	20.40
301		COMPLETE TUNE-UP SET (includes 1 ea. Nos. 302, 303, 304, 305), illustrated instruction book.	6	24.15	14.50



Effective February 1, 1972

Model No.	Description	Std. Ctn.	List	Dealer
302	 COMPRESSION TESTER , 2½" dia., 0-300 lbs. pressure. 0-21 kg/cm².	12	6.80	4.08
303	 VACUUM & FUEL PUMP TESTER , 0-26 inches (0-650 mm) of vacuum & 0-11 lbs (0-75 kg/cm²) fuel pump pressure, 2½" dia., complete with heavy duty tubing & universal cone adapter.	12	6.80	4.08
304	 DOUBLE - BRITE NEON TIMING LIGHT , pre-focused lens, long oil & gas resistant leads.	12	6.65	3.98
305	 REMOTE CONTROL STARTER SWITCH , non-slip handle, long-life switch, long, tough leads & heavy insulated clips.	12	4.90	2.94
306	 PROFESSIONAL PROBE-LITE POWER TIMING LIGHT (d.c.), 6 or 12 volt D.C. current, Xenon lamp, transistorized, 15½" long, instructions included.	4	51.70	31.00
306F	 PROFESSIONAL FLEX-PROBE POWER TIMING LIGHT (d.c.), 6 or 12 Volt D.C. Current, Xenon lamp, transistorized, 15½" long, instructions included.	4	56.80	34.08
307	 PISTOL-GRIP POWER TIMING LIGHT (D.C.) 6 or 12 Volt D.C. current, Xenon lamp, transistorized circuit, long oil and gas resistant leads.	4	43.20	25.19
308	 PISTOL-GRIP A.C. POWER TIMING LIGHT , 110 Volt A.C. Current, 9" long, Xenon lamp.	4	26.60	15.95



Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
309		PISTOL-GRIP NEON TIMING LIGHT W/REMOTE STARTER SWITCH , double bright neon lamp, 9" long.	4	12.10	7.25
310		CHROME PISTOL-GRIP POWER TIMING LIGHT (D.C.), 6 or 12 Volt D.C. current, Xenon lamp, transistorized, 9" long.	4	49.85	29.91
312		Replacement Nose Cone & Valve Core, Discontinued Item	ea.	3.70	2.20
313		Adapter Fittings, Discontinued Item	ea.	1.50	.91
314		DOUBLE-BRITE NEON TUBE REPLACEMENT for Model 304 Timing Light.	ea.	3.95	2.35
316		REPLACEMENT XENON LAMP for Models 306, 306F, 307, 308, 310.	ea.	10.35	6.22
322		PROFESSIONAL COMPRESSION TESTER , includes 12" flexible hose plus universal spark plug adapter fittings. For 10mm, 14mm & 18mm plug holes.	6	14.95	8.96
330		COMPLETE TEST & TUNE-UP KIT for domestic & foreign cars. Includes one each Model 302 Compression Tester, Model 305 Remote Starter Switch, Model 308 Pistol-Grip A.C. Timing Light, Model 1376 Engine Performance Analyzer, jumper leads, feeler gauge, 1/8" allen wrench, complete Inst. manual & Spec. booklets.	4	79.53	47.72
367		Custom Trio, Discontinued Item	ea.	55.95	35.90
369		Housing, Discontinued Item	ea.	9.20	5.90
370		PROFESSIONAL TEST INSTRUMENT SET , (Includes 5 instruments—306F, 372, 373, 374, 375) plus Triple-Use Portable Case.	ea.	395.55	237.33
371		Test Instrument Set, Discontinued Item	ea.	336.10	201.67



Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
372		PROFESSIONAL TACH-DWELL-POINTS TESTER , 6 or 12 Volt Positive or negative ground, 3½" meter, instructions included.	4	86.20	51.72
373		PROFESSIONAL IGNITION SYSTEM TESTER , 6 or 12 volt systems, positive or negative ground, 0-30 Kilovolt scale, 3½" meter.	ea.	69.80	41.88
374		PROFESSIONAL ALTERNATOR-DIODE & IGNITION CABLE TESTER & OHMMETER , 0-50 K Ohms, 3½" meter, 1½ volt battery included.	4	69.80	41.88
375		PROFESSIONAL ALTERNATOR-GENERATOR & REGULATOR TESTER , 6 or 12 volt negative or positive ground, 0-20 Volts, 0-80 Amps, 3½" meter, instructions included.	4	73.90	44.33
381		Test Instrument Case, Discontinued Item	ea.	55.40	33.22
382		Load Cable, Discontinued Item	ea.	8.00	4.78
383		Adapter, Discontinued Item	ea.	7.15	4.28
384		Voltage Adapter, Discontinued Item	ea.	4.25	2.53
385		Replacement Resistor, Discontinued Item	ea.	4.25	2.53
395		BENCH MODEL TEST & TUNE CENTER (Tach-Dwell, Volts, Points, Amps). 4, 6 or 8 cylinder, 6 or 12 volt, negative or positive ground. Scales include: Tach 0-1000 & 0-5000 RPM; Dwell 0-60° Amps 0-100; Hi & Lo (points condition scale) Volts 0-32 & 0-2.0. Color coded scale.	ea.	64.50	38.70
396		PROFESSIONAL BENCH ANALYZER (Tach-Dwell, Volts, Ohms, Amps, Ignition), 6 or 12 volt positive or negative ground, 4, 6 or 8 cylinder. Scales: High-Lo Tach; Dwell 0-45° & 0-60°; Volts 0-32 & 0-3.2; Ohms 0-250 K; Ignition output 0-35; Amps -10-0-+100. Color coded points condition scale.	ea.	xxxx	57.75
398		Automatic Transmission Analyzer, Discontinued Item	ea.	xxxx	129.95
457		TACHOMETER FOR VOLKSWAGEN & other 4 cylinder sports cars , 2½" dia., wide sweep dial, 4 cylinder only, 6 or 12 volt, negative ground, illum., 14 ft. leads, special mounting bracket. Color coded scale.	6	50.22	32.29



Effective February 1, 1972

Model No.	Description	Std. Ctn.	List	Dealer
501	 DUAL GAUGE SET (AMMETER, OIL PRESSURE) , 60-0-60 Ammeter, 0-80 lbs. Oil Pressure, non-illum., mounting clamps & instructions included.	6	10.10	6.06
501F	Dual Gauge Set, Discontinued Item	6	11.40	6.82
502F	 ILLUM. DUAL GAUGE SET (AMMETER, OIL PRESSURE) , 60-0-60 Ammeter, 0-80 lbs. Oil Pressure, illumination parts & instructions included.	6	12.60	7.56
504	 ELECTRIC WATER TEMP. GAUGE , 130°-280°F scale, 12 Volt negative ground.	12	14.40	8.64
504M	 MECHANICAL WATER TEMP. GAUGE W/6 FOOT CAPILLARY TUBE , 100°-250°F dia. thermometer, illumination & mounting hardware included.	6	14.40	8.64
504M.12	 MECHANICAL WATER TEMP. GAUGE W/12 FOOT CAPILLARY TUBE , 100°-250° dia. thermometer, illumination & mounting hardware included.	ea.	15.70	9.42
506	 AMMETER , 60-0-60 amps, 6 or 12 volt systems, 2" dia., illumination & mounting hardware included.	12	5.35	3.19
506-30	 AMMETER , 30-0-30 amps, 6 or 12 volt systems, 2" dia., illumination & mounting hardware included.	12	6.10	3.67
506-100	 ALTERNATOR GAUGE (AMMETER) 100-0-100 amps, 2" dia., illumination & mounting hardware included.	12	6.10	3.67








Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
507		OIL PRESSURE GAUGE , 0-80 lbs. 2" dia., illumination slots.	6	6.10	3.67
511		ILLUM. AMMETER SET , 6 or 12 volt systems, 2" dia., 60-0-60 amps, panel attachment hardware.	6	9.20	5.50
512		ILLUM. OIL PRESSURE GAUGE SET , 0-80 lbs., 2" dia., panel attachment hardware.	12	9.75	5.83
513		ILLUM. ELEC. WATER TEMP. GAUGE SET , 130°-280°F gauge, 12 volt systems, panel attachment hardware.	12	17.45	10.45
520		VOLTMETER , 6 or 12 volt systems, reads 3-17 volts, 2" dia., illumination slots.	12	13.60	8.14
552F		ILLUM. TRIPLE GAUGE SET (AMMETER, OIL PRESSURE, ELEC. WATER TEMP.) tubing & fittings, chrome panel, 12 volt negative ground, (60-0-60 Ammeter, 0-80 lb. Oil Pressure, 130°-280°F Water Temp.).	12	32.00	19.19
790		TACHOMETER, WIDE-SWEEP for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 12 Volt, Negative Ground, 0-6000 RPM, illum., 3¾" dia., instructions included.	6	57.75	37.14
790-9		TACHOMETER, WIDE-SWEEP for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 12 Volt, Negative Ground, 0-6000 RPM, includes chrome housing and instructions.	6	59.85	38.47



Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
793		TACHOMETER, WIDE-SWEEP , for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 12 Volt, Negative Ground, 0-8000 RPM, 3 $\frac{3}{4}$ " dia., illuminated.	6	57.75	37.14
793-9		TACHOMETER, WIDE-SWEEP , for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 12 Volt, Negative Ground, 0-8000 RPM, includes chrome housing, illum., 3 $\frac{3}{4}$ " dia.	6	59.85	38.47
795		TACHOMETER, WIDE-SWEEP , 3 $\frac{3}{4}$ " dia. (Special Order), 0-10,000 RPM. For applications with other than standard ignition systems. Complete engine & ignition specifications required.	6	65.00	41.78
797		TACHOMETER, WIDE-SWEEP , for 4, 6, & 8 cylinder conventional & most transistorized or Capacitive Discharge Ignition systems, 12 Volt, Negative Ground, 0-10,000 RPM, illum., 3 $\frac{3}{4}$ " dia.	6	57.75	37.14
797-9		TACHOMETER, WIDE-SWEEP for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition system, 12 Volt, Negative Ground, 0-10,000 RPM, includes chrome housing, illum., 3 $\frac{3}{4}$ " dia.	6	59.85	38.47
802		HUSTLER HI-PERFORMANCE DUAL GAUGE SET—AMMETER, OIL PRESSURE , 60-0-60 Ammeter, 0-80 lbs. Oil Pressure, illumination parts, tubing & fittings included.	6	15.70	9.40
803		HUSTLER HI-PERFORMANCE DUAL GAUGE SET—OIL PRESSURE, ELEC. WATER TEMP. 0-80 lb. Oil Pressure, 130°-280°F Water Temp., includes illumination parts, tubing & fittings, sending unit, 12 volt negative ground.	6	25.00	16.66
811		HUSTLER HI-PERFORMANCE AMMETER SET , 60-0-60 amp., 2" dia. 6 or 12 volt systems, illuminated.	6	11.75	7.06



Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
812		HUSTLER HI-PERFORMANCE OIL PRESSURE GAUGE SET, 0-80 lbs., 2" dia., illuminated.	6	12.35	7.39
813		HUSTLER HI-PERFORMANCE ELEC. WATER TEMP. GAUGE SET, 130°-280°F scale, 2" dia., includes illumination parts, 12 volt negative ground.	6	21.10	12.64
852		HUSTLER HI-PERFORMANCE TRIPLE GAUGE SET—AMMETER, OIL PRESSURE, ELEC. WATER TEMP., (60-0-60 Ammeter, 0-80 lb. Oil Pressure, 130°-280°F Water Temp.), 12 volt negative ground, includes illumination parts, tubing & fittings, sender.	6	39.00	23.39
857		HUSTLER SWINGER HI-PERFORMANCE TACHOMETER, for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-8000 RPM, 12 Volt, Negative ground, includes housing, mounting hardware, illuminated, 3 3/4" dia.	6	41.35	26.57
887		HUSTLER STOCKER HI-PERFORMANCE TACHOMETER, for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-8000 RPM, 12 Volt, Negative ground, includes housing, mounting hardware, illuminated, 3 3/4" dia.	6	56.15	36.10
897		HUSTLER ELIMINATOR HI-PERFORMANCE TACHOMETER, for 4, 6, & 8 cylinder, conventional & most transistorized or Capacitive Discharge Ignition systems, 0-10,000 RPM, 12 Volt, Negative ground, includes housing, mounting hardware, illuminated, 3 3/4" dia. Color scale band.	6	62.25	40.00
898	Tachometer, Discontinued Item		6	68.00	43.71
902		HUSTLER WIDE-SWEEP DUAL AMMETER-OIL PRESSURE GAUGE SET, 60-0-60 Ammeter, 0-80 lbs. Oil Pressure, includes illumination parts, tubing & fittings, attachment hardware, instructions.	6	19.13	11.48
903		HUSTLER WIDE-SWEEP DUAL OIL PRESSURE, MECH. WATER TEMP. GAUGE SET, 0-120 lbs. Oil Pressure, 100°-220° Water Temp. Gauge, includes illumination parts, tubing & fittings, instructions.	6	31.65	18.99



Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
911		HUSTLER WIDE-SWEEP AMMETER SET 60-0-60 amp scale, 2" dia., 250° color band, illuminated.	6	12.02	7.21
912		HUSTLER WIDE-SWEEP OIL PRESSURE GAUGE , 0-120 lbs., 250° color scale, illuminated.	6	15.85	9.51
913		HUSTLER WIDE-SWEEP MECH. WATER TEMP. GAUGE SET , 100°-220°F scale, illuminated.	6	22.38	13.43
952		HUSTLER WIDE-SWEEP MECHANICAL WATER TEMP., AMMETER, OIL PRESSURE GAUGE SET , 0-120 lb. Oil Pressure, 100°-220°F Water Temp, 60-0-60 90° Ammeter, includes illumination parts, tubing & fittings.	6	44.85	26.91
957		HUSTLER TACHOMETER WIDE-SWEEP , 12 volt, conventional & most transistorized or Capacitive Discharge ignition systems, negative ground, 4, 6, & 8 cylinder, 0-8000 RPM, illuminated, 3¼" diameter overall, complete with housing.	6	44.25	28.47
HT/x-977		Hood-Mounted Tachometer, Discontinued Item	4	69.60	44.75
997		Tachometer, Discontinued Item	6	63.70	40.96
999		"BIG DADDY" DON GARLITS TACHOMETER, WIDE-SWEEP , 0-10,000 RPM, 4, 6, or 8 cylinder, 12 Volt, Negative ground, Red, white & blue housing, illum. Mounting hardware included.	6	63.70	40.96
1072		HUSTLER PROFESSIONAL TACH-DWELL-POINTS TESTER , 6 or 12 volt negative or positive ground, 3½" meter. For 4, 6 or 8 cylinder engines.	4	55.45	33.25
1076		HUSTLER ANALYZER, TACH-DWELL, VOLTS, OHMS , 6 or 12 volt negative or positive ground, 3½" meter. For 4, 6 or 8 cylinder engines.	4	62.05	37.22







Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
1370		TEST & TUNE-UP KIT , includes one each Model 1372 Tach-Dwell-Points Tester and Model 309 Neon Timing Light with Remote Starter, plus spark plug gap gauge, 1/8" allen wrench, chalk (for timing mark).	4	51.00	30.60
1372		ECONOMY TACH-DWELL-POINTS TESTER , 6 or 12 volt negative or positive ground, 2 3/8" x 2 5/8" meter, instructions included.	6	38.95	23.37
1373		ECONOMY IGNITION OUTPUT TESTER , 6 or 12 volt negative or positive ground, 2 3/8" x 2 5/8" meter, instructions included.	6	27.70	16.63
1374		ECONOMY ALTERNATOR-DIODE & IGNITION CABLE TESTER & OHM-METER , includes 9 volt battery, 2 3/8" x 2 5/8" meter.	6	27.70	16.63
1375		ECONOMY GENERATOR-REGULATOR TESTER , 0-20 volts & 0-80 amps scale, 6 or 12 volt Negative or Positive ground, 2 3/8" x 2 5/8" meter.	6	27.70	16.63
1376		ECONOMY ENGINE PERFORMANCE ANALYZER , 6 or 12 Volt, Negative or Positive Ground, 2 3/8" x 2 5/8" meter.	6	43.25	25.95
DP-73	Triple Panel, Discontinued Item		ea.	7.50	4.50
DP-173	Triple Panel, Discontinued Item		ea.	9.35	5.59
PT-172	Triple Panel, Discontinued Item		ea.	10.10	6.73
D-10	Plexiglas Display, Discontinued Item		ea	xxxx	207.70
D-11	Master Display, Discontinued Item		ea.	xxxx	160.10
D-20	Plexiglas Display, Discontinued Item		ea.	xxxx	136.10
D-21		WALL DISPLAY , size of 35" x 31", (includes 1 ea. Models 897 Tachometer, 887 Tachometer, 857 Tachometer, 304 Timing Light, 310 Timing Light, 302 Comp. Tester, 303 Vacuum & Fuel Pump Tester, 305 Starter Switch, 1076 Perf. Analyzer, 852 Triple Gauge Set, 803 Dual Gauge Set, & 811-812-813 Single Gauges.	ea.		217.35



Effective February 1, 1972

Model No.		Description	Std. Ctn.	List	Dealer
D-100		DISPLAY "DOC' DIXCO" CAR CARE CENTER DISPLAY. Shows the complete line of DIXCO'S Test & Tune Instruments.	ea.	xxxx	15.92
2020		TWO TEST & TUNE-UP SPECIFICATION BOOKLETS IN ONE. Includes booklet for complete tune-up specifications on American Standard, Intermediate & Mini cars (1960-1971) plus a booklet on most foreign cars (European, German, Japanese, English, etc.) 1960-1971.	ea.		1.50
2021		Separate Tune-Up Specification Booklet for American Standard, Intermediate, and Mini Cars.	ea.	xxxx	1.00
2022		Separate Tune-Up Specification Booklet for most foreign cars (European, German, Japanese, English, etc.)	ea.	xxxx	1.00



Effective February 1, 1972



THE NAME TO REMEMBER WHEN
BUYING TEST AND TUNE-UP INSTRUMENTS,
TACHOMETERS, AND GAUGES.